

Simplified AES

Example

Steven Gordon

For an explanation of Simplified AES, see the Cryptography Study Notes:

<https://sandilands.info/crypto/AdvancedEncryptionStandard.html>

1 Simplified AES Example

Lets assume the inputs for the encryption are:

- 16-bit Plaintext, P : 1101 0111 0010 1000
- 16-bit Key, K : 0100 1010 1111 0101

1.1 Key Generation

The first step is to generate the sub-keys. This is called *Key Generation* or *Key Expansion*:

The input key, K , is split into 2 words, w_0 and w_1 :

$$w_0 = 0100 \ 1010$$

$$w_1 = 1111 \ 0101$$

The first sub-key, Key_0 , is in fact just the input key: $Key_0 = w_0 w_1 = K$

The other sub-keys are generated as follows:

$$w_2 = w_0 \text{ XOR } 10000000 \text{ XOR SubNib(RotNib}(w_1))$$

(Note: RotNib() is “rotate the nibbles”, which is equivalent to swapping the nibbles)

$$= 0100 \ 1010 \text{ XOR } 10000000 \text{ XOR SubNib(0101 1111)}$$

(Note: SubNib() is “apply S-Box substitution on nibbles using encryption S-Box”)

$$= 1100 \ 1010 \text{ XOR SubNib(0101 1111)}$$

$$= 1100 \ 1010 \text{ XOR } 0001 \ 0111$$

$$= 1101 \ 1101$$

$$w_3 = w_2 \text{ XOR } w_1$$

$$= 1101 \ 1101 \text{ XOR } 1111 \ 0101$$

$$= 0010 \ 1000$$

$$w_4 = w_2 \text{ XOR } 0011 \ 0000 \text{ XOR SubNib(RotNib}(w_3))$$

$$= 1101 \ 1101 \text{ XOR } 0011 \ 0000 \text{ XOR SubNib(1000 0010)}$$

$$= 1110 \ 1101 \text{ XOR } 0110 \ 1010$$

$$= 1000 \ 0111$$

$$\begin{aligned} w_5 &= w_4 \text{ XOR } w_3 \\ &= 1000\ 0111 \text{ XOR } 0010\ 1000 \\ &= 1010\ 1111 \end{aligned}$$

Now the sub-keys are:

$$\begin{aligned} Key_0 &= w_0w_1 \\ &= 0100\ 1010\ 1111\ 0101 \end{aligned}$$

$$\begin{aligned} Key_1 &= w_2w_3 \\ &= 1101\ 1101\ 0010\ 1000 \end{aligned}$$

$$\begin{aligned} Key_2 &= w_4w_5 \\ &= 1000\ 0111\ 1010\ 1111 \end{aligned}$$

1.2 Encryption

Now let's do the encryption. There is an initial operation (Add Round Key), followed by the main Round, followed by the final Round. (Note, the main difference in the real DES is that the main Round is repeated many times).

Remember, the output of each operation is used as the input to the next operation, always operating on 16-bits. The 16-bits can be viewed as a state matrix of nibbles.

1.2.1 Add Round 0 Key

$$\begin{aligned} \text{Plaintext XOR } Key_1 &= 1101\ 0111\ 0010\ 1000 \text{ XOR} \\ &\quad 0100\ 1010\ 1111\ 0101 \\ &= 1001\ 1101\ 1101\ 1101 \end{aligned}$$

1.2.2 Round 1

Nibble Substitution (S-boxes). Each nibble in the input is used in the Encryption S-Box to generate an output nibble.

$$\begin{aligned} \text{Input} &= 1001\ 1101\ 1101\ 1101 \\ \text{Output} &= 0010\ 1110\ 1110\ 1110 \end{aligned}$$

Shift Row. Swap 2nd nibble and 4th nibble (note, in this example, its not so easy to see since 2nd and 4th nibbles are the same!)

$$= 0010\ 1110\ 1110\ 1110$$

Mix Columns. Apply the matrix multiplication with the constant matrix, M_e , using GF(2⁴). For GF(2⁴), the addition operation is simply an XOR, and for the multiplication operation you can use a lookup table.

Simplified AES Example

$$M_e = \begin{matrix} 1 & 4 \\ 4 & 1 \end{matrix}$$

$$S = \begin{matrix} 0010 & 1110 \\ 1110 & 1110 \end{matrix} = \begin{matrix} S_{00}' & S_{01}' \\ S_{10}' & S_{11}' \end{matrix}$$

$$S' = M_e \times S$$

$$\begin{aligned} S_{00}' &= 0010 \text{ XOR } (4 \times 1110) \\ &= 0010 \text{ XOR } (4 \times E) \\ &= 0010 \text{ XOR D} \\ &= 0010 \text{ XOR } 1101 \\ &= 1111 \end{aligned}$$

$$\begin{aligned} S_{10}' &= (4 \times 0010) \text{ XOR } 1110 \\ &= 1000 \text{ XOR } 1110 \\ &= 0110 \end{aligned}$$

$$\begin{aligned} S_{01}' &= 1110 \text{ XOR } (4 \times 1110) \\ &= 1110 \text{ XOR } (4 \times E) \\ &= 1110 \text{ XOR } 1101 \\ &= 0011 \end{aligned}$$

$$\begin{aligned} S_{11}' &= (4 \times 1110) \text{ XOR } 1110 \\ &= 1101 \text{ XOR } 1110 \\ &= 0011 \end{aligned}$$

$$\begin{aligned} \text{Output} &= S_{00}' \ S_{10}' \ S_{01}' \ S_{11}' \\ &= 1111 \ 0110 \ 0011 \ 0011 \end{aligned}$$

Add Round 1 Key.

$$\begin{aligned} &= 1111 \ 0110 \ 0011 \ 0011 \text{ XOR} \\ &\quad 1101 \ 1101 \ 0010 \ 1000 \\ &= 0010 \ 1011 \ 0001 \ 1011 \end{aligned}$$

1.2.3 Final Round

Nibble Substitution (S-boxes)

$$= 1010 \ 0011 \ 0100 \ 0011$$

Shift Row (2nd and 4th)

$$= 1010 \ 0011 \ 0100 \ 0011$$

Add Round 2 Key

$$\begin{aligned} &1010 \ 0011 \ 0100 \ 0011 \text{ XOR} \\ &\quad 1000 \ 0111 \ 1010 \ 1111 \\ &= 0010 \ 0100 \ 1110 \ 1100 \end{aligned}$$

Now we have the final ciphertext.

Ciphertext = 0010 0100 1110 1100

1.3 Decryption

Now lets decrypt. Note that we use the same keys generated during the encryption (that is, the decryptor would generate the round sub-keys using the input key K, *using the encryption S-Box*).

Add Round 2 Key

$$\begin{array}{l} 0010\ 0100\ 1110\ 1100 \text{ XOR} \\ 1000\ 0111\ 1010\ 1111 \\ = \quad 1010\ 0011\ 0100\ 0011 \end{array}$$

Inverse Shift Row (same as normal)

$$= \quad 1010\ 0011\ 0100\ 0011$$

Inverse Nibble Sub (use the inverse or decryption S-box)

$$= \quad 0010\ 1011\ 0001\ 1011$$

Add Round 1 Key

$$\begin{array}{l} = \quad 0010\ 1011\ 0001\ 1011 \text{ XOR} \\ 1101\ 1101\ 0010\ 1000 \\ = \quad 1111\ 0110\ 0011\ 0011 \end{array}$$

Inverse Mix Columns

$$\begin{array}{ll} S & = \quad S_{00} \quad S_{01} \\ & \quad S_{10} \quad S_{11} \\ & = \quad 1111\ 0011 \\ & \quad 0110\ 0011 \end{array}$$

$$\begin{array}{ll} S' & = \quad S_{00}' \quad \quad \quad S_{01}' \\ & \quad S_{10}' \quad \quad \quad S_{11}' \\ & = \quad 9 \times S_{00} \text{ XOR } 2 \times S_{10} \quad \quad \quad 9 \times S_{01} \text{ XOR } 2 \times S_{11} \\ & \quad 2 \times S_{00} \text{ XOR } 9 \times S_{10} \quad \quad \quad 2 \times S_{01} \text{ XOR } 9 \times S_{11} \end{array}$$

$$\begin{array}{ll} S_{00}' & = \quad (9 \times 1111) \text{ XOR } (2 \times 0110) \\ & = \quad 9 \times F \text{ XOR } 2 \times 6 \\ & = \quad E \text{ XOR } C \\ & = \quad 1110 \text{ XOR } 1100 \\ & = \quad 0010 \end{array}$$

$$\begin{array}{ll} S_{10}' & = \quad 2 \times 1111 \text{ XOR } 9 \times 0110 \\ & = \quad 2 \times F \text{ XOR } 9 \times 6 \\ & = \quad D \text{ XOR } 3 \\ & = \quad 1101 \text{ XOR } 0011 \\ & = \quad 1110 \end{array}$$

$$\begin{array}{ll} S_{01}' & = \quad 9 \times 0011 \text{ XOR } 2 \times 0011 \\ & = \quad 9 \times 3 \text{ XOR } 2 \times 3 \\ & = \quad 8 \text{ XOR } 6 \\ & = \quad 1000 \text{ XOR } 0110 \\ & = \quad 1110 \end{array}$$

Simplified AES Example

$$\begin{aligned} S_{II}' &= 2 \times 0011 \text{ XOR } 9 \times 0011 \\ &= 1110 \end{aligned}$$

Output = 0010 1110 1110 1110

Inverse Shift Row
= 0010 1110 1110 1110

Inverse Nibble Sub
= 1001 1101 1101 1101

Add Round 0 Key
= 1001 1101 1101 1101 XOR
0100 1010 1111 0101
= 1101 0111 0010 1000

Plaintext = 1101 0111 0010 1000

Original = 1101 0111 0010 1000

The decryption worked!